



WESTVIEW at
Chappelle
GARDENS



Architectural Guidelines



2025

No sale shall be presented as final to a prospective purchaser until the final approval of the plans, elevations, lot siting, and color scheme has been given by Brookfield Residential. The home builder shall be fully and solely responsible for such representations.

The information contained herein is intended as a guide for the initial development of each of the properties in the community. Brookfield Residential shall not have any liability whatsoever for any defect or lack of suitability in any of the materials or products suggested by or required by these guidelines. Brookfield Residential makes no representation or warranties as to the accuracy or completeness of this information. The enforcement of these guidelines and interpretation of same shall be at the sole discretion of Brookfield Residential. Brookfield Residential reserves the right to revise these guidelines without notice.

Directory

Developer

Brookfield Residential

202, 5103 Windermere Blvd
Edmonton, AB T6W 0J5
Phone: (780) 423 – 1910
Website: www.brookfieldrp.com

Planning/Engineering

Stantec Inc.

400, 10220 – 103 Ave NW
Edmonton, AB T5J 0K4
Phone: (780) 917 – 7000

Geomatics

Stantec Geomatics Inc.

400, 10220 – 103 Ave NW
Edmonton, AB T5J 0K4
Phone: (780) 917 – 7000

Geomatics

Pals Geomatics Corp.

10704 – 176 Street NW
Edmonton, AB T5S 1G7
Phone: (780) 455 – 3177

Geotechnical/Testing

J.R. Paine & Associates Ltd.

17505 – 106 Avenue NW
Edmonton, AB T5S 1E7
Phone: (780) 489 – 0700

Architectural Applications

Brookfield Residential

202, 5103 Windermere Blvd
Edmonton, AB T6W 0J5
Phone: (780) 423 – 1910
Website: www.brookfieldrp.com

Table of Contents

COMMUNITY VISION.....	4
ARCHITECTURAL THEME	4
ARCHITECTURAL STYLES	4
HOUSE SIZE & STREETSCAPE.....	4
Move Up Product	4
Estate Product.....	5
SITE PLAN & GRADING	5
PARGING	5
GARAGES, DRIVEWAYS, WALKWAYS	5
Front Drive	5
Side Drive.....	6
ROOF MASSING & MATERIALS	6
HIGH VISIBILITY & WALKOUT LOTS.....	6
REPETITION.....	7
Elevation Repetition.....	7
Colour Repetition	7
ARCHITECTURAL TREATMENT OF ENTRIES	7
EXTERIOR MATERIALS.....	8
Phase A & C.....	8
Phase B	8
ARCHITECTURAL STYLES	8
Heritage	9
Prairie	10
Modern Farmhouse	11
Scandi.....	12
ACCESSORIES	13
Accessory Buildings	13
Solar Panels	13
STRUCTURED WIRING.....	13
APPROVAL PROCESS	13
FINAL INSPECTION & SECURITY DEPOSIT RETURN.....	14
Option 1: Builder Completes Landscape.....	14
Option 2: Homeowner Completes Landscape.....	14
OTHER	15
APPENDIX A: MULTI-FAMILY DEVELOPMENT REQUIREMENTS	16
APPENDIX B: HIGH VISIBILITY REQUIREMENTS.....	20

Community Vision

Chappelle Gardens is a vibrant new-home community built around organic, healthy living in a small-town atmosphere. At the heart of Chappelle Gardens, the Social House was developed to anchor the community, bringing residents together to connect with neighbours and everlasting friendships. The abundance of features is reflected in the spirit of the residents and the energetic life growing here.

These guidelines outline Brookfield Residential's vision for Chappelle Gardens and the architectural theme that will help achieve that vision.

Architectural Theme

The architectural character of Chappelle Gardens will be established through a vibrant blend of architecture. The guidelines herein will not only outline the permitted architectural styles, but they will also direct the architectural elements, materials, and proportions that when combined, will create a truly unique neighborhood in southwest Edmonton.

Architectural Styles

The permitted styles include the Heritage, Prairie, Modern Farmhouse, and Scandi.

House Size & Streetscape

Houses are to have a consistency of mass and volume within the streetscape. As such, the massing, width, and size of the home must relate proportionately to the lot width and the neighboring houses. Adjustments to the building mass may be required on a lot-to-lot basis to enhance the home and ensure it blends with the streetscape.

Move Up Product (22' – 24' Building Pocket)

Homes that are more than 2' narrower than the building pocket will not be permitted. Homes incorporating a garage offset of more than 3' will be specifically reviewed for suitability. Siting should reflect careful consideration of lot characteristics, relationship, and orientation.

Estate Product (36'+ Building Pocket)

Homes will comply with the requirements outlined in the table below:

Building Pocket Size	Minimum House Width	Maximum Garage Front	Minimum Entry Width
36'	36'	30'	6'
38'	36'	30'	8'
40'	36'	30'	10'
42'	36'	32'	10'
44'	38'	33'	10'

Site Plan & Grading

Site planning and grading must accommodate the natural slope of the land with variations in grade absorbed within the building mass. The purchaser shall be responsible for the design, construction, and costs of any retaining structures and must ensure design grades and lot drainage are not compromised.

Front entry steps on all product types are to be a maximum of three risers per set. Where the grade or design call for more than three risers, the additional risers will be installed in the walk. Exceptions to this requirement may be granted in consideration of unique design and/or topography.

Homes along straightaways can maintain a 4.6m setback, while homes on pie lots must maintain a 5.6m setback.

Parging

If stone is utilized on the garage wall, the stone will extend to grade. If an alternative cladding is used, exposed parging will not exceed 3" in that area. A maximum of 12" of exposed parging will be permitted along walkways and all other high visibility elevations.

Exposed parging will not exceed 24" at all other elevations.

Driveways, Garages, Walkways

All homes must include at minimum, a double attached garage, constructed concurrently with the home and located in accordance with the garage location plan. Overhead door design must be appropriate to the architectural style and painted to blend with the exterior – see Architectural Styles. The height between the garage overhead door and eave line will not exceed 24".

Houses will be designed to integrate and minimize the appearance of the garage while emphasizing the architectural features and massing of the house itself. Some of the architectural measures that can achieve this are proportionate development of the second floor above the garage and an emphasis on entrance treatment. Adjustments to the garage or entry may be required on a lot-to-lot basis to enhance the home and ensure it blends with the streetscape.

The walkway to a house from the public sidewalk, curb, or driveway must be at minimum, poured concrete in broom finish, minimum 2'- 6" wide. Individual patio blocks will not be permitted.

Front Drive:

Oversized garages (23' or greater) will require articulation in the form of a jog with a separate roof line and street facing window, in addition to entry glazing and sidelights. The driveway is not to exceed the width of the garage but may flare to include a walkway to the front and/or rear yard. Triple car garages will only be permitted on building pockets that are 36' wide or greater.

Driveways and walkways for Move Up product may be constructed of concrete with a broom finish. Driveways and walkways for Estate product will be constructed of an upgraded surface (ex. Exposed aggregate).

Side Drive:

Garage's will be no more than 22' at the street or boulevards, flaring out in an undulating configuration at the front of the garage. A 1.5m integrating strip of landscaping must be provided between the driveway and the side of the property line. The driveway cannot be extended in front of the garage. Side driveways will not be permitted on the corner lots.

When side driveway entrances boarder an adjacent side drive entrance, builders will be required to provide a minimum 6" recess from the property line to create separation between the 2 driveways, which is to be filled with permeable materials to allow for proper drainage, allow for height differences, and to present a distinct border in between lots.

Roof Massing & Materials

The roof design will be specific to the architectural styling of the home – see architectural style detail descriptions. Unless otherwise stated, the fascia must be a minimum 6" wide. Cantilevers and box outs on visible elevations must include a separate roofline and minimum overhang. Skylights will be permitted provided they are flat in design and do not dominate the façade.

Approved roofing materials include a standard 3-tab shingle or architectural shingle. Shingle colour must be consistent with the architectural style. Reds, Greens, Blues, etc. are not permitted.

Metal roofs are encouraged when suitable to the architectural style of the elevation.

High Visibility & Walkout Lots

Corner lots have been highlighted for premium siding colours only.

Elevations in high visibility locations require special design consideration (see '**Appendix B**').

All homes in high visibility areas are required to install a deck if the distance between the main floor and the final grade is greater than 48". Decks must be constructed concurrently with the home and must be fully finished with all vertically exposed surfaces painted to match the rest of the home. Deck railings will be aluminum; wood railings are not permitted. See attached '**Appendix B**' to view a comprehensive list of requirements for decks in high visibility locations.

A second-floor balcony, if desired, must be included as part of the architectural application and must be constructed concurrently with the home by the builder.

Repetition

Elevation Repetition

Similar or approximately identical elevations must not be repeated within three lots or directly across the street.

(XOAX)

(OXBO)

Repetitive use of elevations and architectural styles will be monitored to ensure interesting and diverse streetscapes. The Architectural Controls group reserves the right to assign architectural styles to certain lots to ensure all architectural styles are equally represented within the streetscape. In addition, the usage of certain elevation styles will be monitored to ensure that a single style has not been used on more than fifty percent of the streetscape. Homes of the same architectural style will not be repeated on more than two lots in a row.

Modifications to elevation treatments may be required accordingly.

Adjustments to the setback and/or orientation of Rear Laned homes may be required on a lot-to-lot basis to ensure variation and interest within the overall streetscape.

At high visibility locations, the repetition guideline applies to both the front and the rear elevations.

Colour Repetition

All colors will be reviewed and approved on a lot-by-lot basis without repetition of cladding colours on adjacent lots. Trim, soffit, and fascia colour may be repeated on no more than two homes in a row. Notwithstanding, the foregoing, the developer will not permit the predominance of one colour within any portion of the neighborhood. As such, variations of the same siding colour will not be repeated on more than two lots in a row.

Architectural Treatment of Entries

Entry doors must appear to be fully painted but will reflect the style and personality of the home.

Entranceways will be covered at the first level and create a welcome sense of arrival at each home. All columns and posts on front or high visibility elevations are to be substantial in form and consistent with the architectural style of the home.

The base of wood verandas/porches will be enclosed to grade. Verandas and porches (including all stair risers and stringers) must be painted to blend with the home, only the landing and treads at the veranda/porch may be left in a natural state. Railings will be aluminum; wood is not permitted.

Large, untreated second floor wall areas will be avoided through full-accent material returns. A 24" material return will be permitted in other, less visible areas.




Exterior Materials

Phase A & C

Vinyl siding in Traditional or Bevel profile only will be utilized. All horizontal siding on corner lots to be premium selection.

Phase B

Exterior finishes will be stucco, stone, brick, or lap profile siding by James Hardie or Canexel. Vinyl siding will not be permitted.



Architectural Style

The Heritage, Prairie, Farmhouse, and Scandi styles will establish the character of Chappelle Gardens. Detailing will be sufficient to provide style distinction. Colour schemes are specific to the architectural style of the home and specific colour and material requirements are outlined on the following pages.



Heritage


The Heritage home is cozy and inviting, featuring gabled roof lines, graceful massing, and elegant proportions. Homes will be characterized by the charming application of traditional details which evoke a sense of nostalgia.

Gabled rooflines (min. 7/12) with wide overhangs will be a defining characteristic of this style, however side facing gables may be used in combination with front facing gables if appropriate to the shape of the home. Windows are vertical in orientation and feature a traditional, yet simple grill pattern. Window trims are generally heavier (4"-6" wide) and may include sill details.

Horizontal siding will be combined with accents such as shakes, panels, brackets, and brick or stone. Accent materials should be incorporated tastefully to reinforce the style without overwhelming the home. All materials will be separated with a horizontal trim board or roof line.

Entry columns are traditional in design and may include a heavy stone base.

A wide range of colours may be used for the main cladding materials, while the soffits, fascias, and trims typically contrast against the siding.



Prairie

A classic contemporary style inspired by the surrounding mid-western landscape, the Prairie home is characterized by its simple shape, low profile, and strong sense of horizontal line.

These elevations will incorporate a shallow hip roof (minimum 4/12 pitch) with wide overhangs. The fascia will be at least 8" wide on triple car garage homes. All other product types may utilize a 6" fascia.

Homes are relatively simple in shape to accommodate expansive rows of windows. Windows grilles, if utilized, should be simple and unobstructive. A strong sense of horizontal line will be created through the application of accent materials.

Prairie homes are typically clad in a combination of horizontal siding, panel board, and stone or brick. Wood siding may also be used if desired. Oversized brackets that appear to support the wide overhangs are well suited to the style and use is encouraged if appropriate to the elevation. Columns should be simple in design but may include a stone or brick base.

Elevations are typically monochromatic in colour, however contrasting soffits, fascia, and trims are also well suited. Inspired by nature, Prairie homes tend to feature mid-dark earth-toned exterior colour schemes.



Modern Farmhouse

The Modern Farmhouse combines the sleek clean lines of contemporary design with the cozy farmhouse aesthetic to create a uniquely fresh take on the traditional country home. Known for its warmth and simplicity, the Modern Farmhouse is characterized by steep front facing gables, a simple color palette, and a combination of textures.

These homes feature flat façades while steep (minimum 9/12) front facing gables dominate the roofline. Roof overhangs will be minimal and may even be reduced to none. Windows will be vertical in orientation and should incorporate a simple grill style. Square windows are well suited as accents on smaller walls. Window frames and grilles on all high visibility elevations must be black in colour.

A combination of textures will create interest on the otherwise simple elevation. Horizontal siding and board & batten will primarily be used on the front façade. Metal accent roofs, stone, brackets, and decorative louvers add character to these elevations and are highly encouraged.

The Modern Farmhouse typically features a monochromatic blend of materials, but colour blocking may be permitted if deemed appropriate. Trims, soffits, and fascia will either blend with or contrast against the main siding colours.



Scandi

The Scandi home pairs a dramatic, yet simple form with natural materials and a blend of texture; a combination that will truly elevate the streetscape.

Gabled rooflines (minimum 6/12 pitch) with minimal overhangs will extend down to surround and enclose the predominately flat façade. Oversized windows are well suited and will remain uncluttered by window grilles. Window frames on all high visibility elevations must be black in colour.

Scandi homes feature a unique combination of varying textures and natural materials. Accent walls clad in wood or wood-like siding are required in combination with horizontal siding, board & batten, and/or panel board. Stone may be utilized in lieu of wood if deemed appropriate by the Architectural Controls Group.

Monochromatic siding and trim combinations are well suited but contrasting schemes and colour blocking create a modern edge, enhancing the overall streetscape. All vinyl siding must be neutral in colour (whites, creams, greys, or browns). Window and door trims, if used, should either match the adjacent frame or blend with the adjacent siding materials.



Accessories

Accessory Buildings

Where visible from a public adjacency, accessory buildings must be consistent with the home in style, finish, and colour.

Solar Panels

Solar panels may be installed provided the panel and frame colour blend with the shingle colour. Solar panels must be operational in a flat mount position.

Structured Wiring

As of January 1, 2025, there are no structured wiring requirements.

Approval Process

All applications must be submitted through the Brookfield online LMS system and must include the following:

- Colour sheet
- Elevations and floor plans at 1/4 : 1' or 3/16 : 1' scale
- Plot plan prepared by the designated surveyor at 1 : 300 scale
- Pre-Inspection Report
- Colour or material samples (if requested)

These submissions must be made ten days in advance of the desired construction start date. It's not the purpose of this process to check for compliance with applicable governing statutes and requirements. Incomplete submissions may be returned without review. The application and plans will be reviewed for adherence to the guidelines. Modifications may be requested. Any changes to the approved plans must be approved by Brookfield prior to implementation.

Final Inspection and Security Deposit Return

Option 1: Builder Completes Landscape (all product types)

1. Landscaping is rolled into the price of the home; therefore, a deposit is not required.
2. The landscaping is completed by the builder and the builder is responsible for getting final grading approval.
3. Once the landscape is complete and the City has approved the final grade, the builder would notify Brookfield's Architectural Controls Department that the home is ready for its final inspection. To initiate the inspection, the builder must include the following:
 - a. A copy of the final grading approval and the final grading certificate.
 - b. Photos of the landscape.
 - c. An invoice showing the species of trees/shrubs installed.
4. The Architectural Controls group will review landscape and ensure both the home and the landscape follow the approved drawings and adhere to the community guidelines.
5. If deficiencies are noted, the builder is responsible for ensuring those deficiencies are addressed.
6. At the completion of each stage, Brookfield will review the outstanding deficiencies and respond accordingly.

Option 2: Homeowner Completes Landscape (all product types)

1. The homeowner provides the builder with a landscaping deposit at the time of purchase.
2. The landscaping and fencing (if desired) is completed by the homeowner. The homeowner is responsible for getting final grading approval.
3. Once the landscape is complete and the City has approved the final grade, the builder would notify Brookfield's Architectural Controls Department that the home is ready for its final inspection. To initiate the inspection, the builder must include the following:
 - a. A copy of the final grading approval and the final grading certificate.
 - b. Photos of the landscape.
 - c. An invoice showing the species of trees/shrubs installed.
4. The Architectural Controls group will review landscape and ensure both the home and the landscape follow the approved drawings and adhere to the community guidelines. The results of the inspection will be communicated to the builder who will then notify the homeowner whether the inspection passed or failed.
5. If deficiencies are noted, the Architectural Controls group will not re-inspect the lot until the homeowner requests a re-inspection. Any applicable deposits taken from the homeowner at the time of purchase shall not be released back to the homeowner until Brookfield confirms total compliance with the approved building plans and community guidelines.

Other

Homeowners are responsible for the installation of permanent address numbers or plaque, to be affixed at time of final/landscaping inspection.

No sale is to be represented as final to a prospective purchaser until the final approval of the plans, elevations, lot siting, and colour scheme has been granted. The home builder shall be fully responsible for such representations.

The information contained herein is intended as a guide. Brookfield Residential shall not have any liability whatsoever for any defect or lack of suitability in any of the materials or products suggested by or required by these guidelines. Brookfield Residential makes no representation or warranties as to the accuracy or completeness of this information. The enforcement of these guidelines and interpretation of same shall be at the sole discretion of Brookfield Residential. Brookfield Residential reserves the right to revise these guidelines without notice.

Appendix A: Multi-Family Development Requirements

(to be referenced in conjunction with the complete Architectural Guidelines for Chappelle Gardens)

AC Applications

All multi-family developments should be submitted to Brookfield Residential for Architectural Approval prior to development permit application with the City of Edmonton. Each project will be reviewed on an individual basis at the discretion of Brookfield's Architectural Control Department.

AC applications for fee simple street towns shall be submitted through Brookfield's online Lot Management System. This will include plot plans, floor plans, elevations, and colour sheets. Coloured renderings may be requested on an as needed basis. Landscaping Plans will also be required if minimal sod and larger planting beds are used (see 'Chappelle Gardens Landscaping Requirements').

AC applications for any condominium projects (townhomes or apartment-style) shall include the following sent by hard copy to Brookfield's office:

- Site Plan complete with dimensions
- Landscaping Plan (including any fencing and project sign details)
- Floor Plans complete with dimensions
- Elevations complete with all material/color specifications, building heights and any roof slopes identified
- Details of any accessory buildings including all material/color specifications (ie: garbage sheds, amenity buildings, etc.)
- Colored elevations/renderings including an overall streetscape view
- Material/Finish Board (as required).
- Buildings will be characterized by the charming application of traditional details which evoke a sense of nostalgia.

Architectural Style/Overall Design

All multi-family projects in Chappelle Gardens should be designed to naturally blend in with the timeless garden setting of the community. Unless otherwise stated, the overall design should follow the architectural guidelines set forth for single family products in Chappelle Gardens. All designs must adhere to the requirements of the chosen architectural style(s) for the community (Heritage, Prairie, Modern Farmhouse, and Scandi).

Repetition

Multi-family projects will be reviewed on an individual basis to avoid a dominance of one architectural style within the streetscape. Fee Simple street towns will be reviewed for repetition on neighboring lots as set forth in the architectural guidelines for single family and Semi D product types.

High Visibility Considerations

Any building facades of multi-family projects that are facing streets or public spaces will require special design consideration. This includes, but is not limited to, changes in wall planes, varying rooflines, appropriate openings in relation to wall areas, avoidance of mirror imaging and exception detailing specific to the chosen architectural style. See ‘**Appendix B**’ for more information on the high visibility requirements for Chappelle Gardens.

Landscaping Requirements

An adequate variety of plants should be used in planting beds to achieve diversity and avoid large planting beds with an abundance of the same plant. Should any planting beds be larger than 60 square feet, landscape plans must be submitted to Brookfield Residential for approval prior to construction. Appropriate materials for planting beds include Pine Mulch, Shredded Wood Chip Mulch, Small Bark Chip Mulch, Medium Bark Chip Mulch, Large Bark Chip Mulch and Rock Mulch up to a maximum 3” diameter. The landscaping requirements listed below should also be referenced along with the Chappelle Gardens Landscaping Requirements.

Fee Simple Street Towns

The minimum front yard landscape shall consist of the following:

- One deciduous tree 2” (50mm) caliper or larger per dwelling unit. If a coniferous tree is used instead, it must be 8.2’ (2.5m) or higher at the time of planting.

Recommended tree species include Crabapple Trees, Japanese Tree Lilac, Ussurian Pear, Amur Maple, Toba Hawthorn, Snowbird Hawthorn, Pincherry, Amur Cherry, and Snowy Mountain Ash.

And one of the following:

- Each dwelling unit shall have a minimum of 6 flowering shrubs of any variety (at least 18” in height or width) in a planting bed defined by edging (landscaping vinyl, brick, concrete, wood landscape ties, etc.).

Recommended shrubs species include Lilac, Viburnum, Hydrangea, Caragana, Spirea.

Fee Simple Street Towns - Middle Units

Brookfield Residential does not require middle units to have sod, but instead must have one shrub for each 30 square feet of prepared planting bed. A perennial flower bed may be used instead. Perennial beds must be a minimum of 45 square feet and shall be defined by edging. 5 perennials can be substituted for the equivalent of one shrub.

Fee Simple Street Towns - End Units

End units shall have sod within their front yard and shall continue this treatment to wrap the side yard of the building to supplement the prepared planting beds.

Condominium Projects (Townhomes or Apartment-style)

All street facing yards must consist of a mixture of planting beds and sod. Tree and Shrub counts shall meet or exceed the City of Edmonton minimum Landscaping Requirements.

Additional landscape screening is required when development is adjacent to single family dwelling units.

All deciduous trees must be 2" (50mm) caliper or larger at the time of planting. All coniferous trees must be 8.2' (2.5m) or higher at the time of planting. All shrubs must be a minimum 18" in height of width at the time of planting.

One parking island (min. 200 sq.ft.) is required for every 13 stalls in large open parking areas. Parking area landscape requirements shall consist of 1 tree for each 200 square feet of parking area islands and 1 shrub for each 100 square feet of parking area islands. All planting islands shall have a minimum 1 deciduous tree 2" (50mm) caliper or larger or a coniferous tree 8.2' (2.5m) height or higher.

See 'Chappelle Gardens Landscaping Requirements' for more information on what is considered appropriate landscaping in Chappelle Gardens.

City of Edmonton Requirements

On June 27, 2016, the City of Edmonton council passed a text amendment that modified the Landscaping Requirements for residential properties.

Please note that the Landscaping Requirements listed in this '**Appendix A**' will count towards the new City of Edmonton requirements, however, depending on the size of your lot, you may have to provide additional trees and/or shrubs on your property to meet the City's requirements.

It is the responsibility of the homeowner to ensure their landscaping complies with the City of Edmonton requirements. Current information regarding these requirements can be found on the City of Edmonton's website: www.edmonton.ca

Should you have additional questions, please contact the City of Edmonton directly by dialing 311 from the local calling area.

Fencing

Fencing must be in a consistent style and colour as the community fencing. Further specifications and details can be found in the 'Chappelle Gardens Landscaping Requirements'.

Signage

Condominium projects must have site signage at the property entrance that is designed consistent with the overall building design.

Returning Security Deposits

Once construction and landscaping is complete, please notify Brookfield's AC Department to request a final inspection. Once it has been determined that the construction meets the approved plans, security deposits will be returned to the builder.

Please note final inspections will only be completed during the "growing" season in Edmonton. The cut-off date for new inspection requests is September 15th.

Appendix B: High Visibility Requirements (Rear and Corner Elevations)

(to be referenced in conjunction with the complete Architectural Guidelines for Chappelle Gardens)

High Visibility – All Lots

- All homes on high visibility lots are required to install a deck if the distance between the main floor and the final grade at the rear of the home is greater than 48". Deck railings will be aluminum, wood is not permitted.
- Decks must be fully painted in a colour that is consistent with the home. Deck rim boards (fascia), posts/columns, exposed beams, and stair stringers and risers (if applicable) are considered part of the deck and must be finished accordingly.
- Columns supporting decks greater than 48" above grade shall be built out to a minimum finished dimension of 12"x12" using a material complimentary to the finish of the home. Alternate column sizes may be considered if the proposed alternative is appropriate for the elevation.
- A second floor balcony, if desired, must be included as part of the architectural application and must be constructed concurrently with the home by the builder.

Rear Elevations

Full Treatment - Homes backing onto parks, ponds, and located along an arterial road close to the community entrance.

Requirements:

- Accent detailing consistent with the front elevation.
- Trims consistent with the front elevation around all openings.
- Variation in wall planes and/or appropriate massing and wall heights. Second floor cantilevers and bump outs should be anchored with a roofline.
- Strategically placed openings that proportionately fit the wall space and visually break up the massing.
- Substantial roof line between the 1st and 2nd floor to diminish mass.
- Duplex and townhomes require unit distinction and avoidance of mirror imaging between units.
- Lots designated for a walkout/partial walkout basement model require special design consideration at the rear elevation. In addition to addressing features set out for high visibility, these designs must avoid towering three storey presentation. Decks are required and must meet the deck requirements outlined above.



Moderate Treatment - Homes backing onto power lines, school sites, utility corridors, greenways, and located along an arterial road but further away from the community entrance.

Requirements:

- Some accent detailing consistent with the front elevation.
- Trims consistent with the front elevation around all openings.
- Variation in wall plane and strategically placed openings to visually break up massing and prevent too much blank wall space. Second floor cantilevers and bump outs should be anchored with a roofline.
- Duplex and townhomes require unit distinction and avoidance of mirror imaging between units.
- Lots designated for a walkout/partial walkout basement model require special design consideration at the rear elevation. In addition to addressing features set out for high visibility, these designs must avoid towering three storey presentation. Decks are required and must meet the deck requirements outlined above.



Minimal Treatment - Lots where the rear elevation would be visible to the public but isn't directly facing an area that requires full or moderate treatment. This typically applies to homes that also require full or minimal corner treatment.

Requirements:

- Trims consistent with the front elevation around all openings.
- Lots designated for a walkout/partial walkout basement model require special design consideration at the rear elevation. In addition to addressing features set out for high visibility, these designs must avoid towering three storey presentation. Decks are required and must meet the deck requirements outlined above.




Corner Elevations

Full Treatment - Homes adjacent to parks and/or public roadways.

Requirements:

- Homes on all corners require Premium siding.
- Accent detailing consistent with the front elevation.
- Trims consistent with the front elevation around all openings.
- Variation in wall planes at each floor level and/or appropriate massing and wall heights. Second floor cantilevers and bump outs should be anchored with a roofline.
- Strategically placed openings that proportionately fit the wall space and visually break up the massing.
- Substantial roof line between the 1st and 2nd floor to diminish mass.



Minimal Treatment - Homes adjacent to walkways, power lines, school sites, utility corridors, greenways, or beside an alley.

Requirements:

- Homes on all corners require Premium siding.
- Trims consistent with the front elevation around all openings.

